

NEW!

Moffett **Telemount**



Canada's Truck-mounted Forklift



Moffett Telemount



For more than 40 years, Moffett has been manufacturing Truck-mounted Forklifts, a load handling solution that has helped transform the way materials are distributed across the globe. We have a reputation for creating solutions to logistics challenges across a diverse range of industries, ensuring that deliveries arrive on time, in perfect condition and at the most economic price.

Our innovative designs mean that a Moffett can be carried on the rear of a truck or trailer with no loss of load space. There is no more waiting for local off-loading equipment and means safer, faster and more cost effective deliveries.

› Why choose a Telemount?

The new MOFFETT Telemount provides the solution to transferring heavy loads from trucks or trailers and around warehouse facilities. This lightweight machine has the ability to work on paved surfaces and firm, off-road conditions, the MOFFETT Telemount is designed to suit applications such as:

- Building Materials (Lumber, Brick, Wallboard)
- Animal Feed
- Agriculture
- Roofing
- Windows and Doors
- Scaffolding
- Recycling

Along with your new MOFFETT Telemount, you receive numerous items as standard... giving you maximum value for your investment.

- Extendable rear wheel to increase stability
- Glass panel in the cabin to increase safety
- Low Profile Boom design to increase visibility
- "Lower 'N' Go" system to release the machine weight onto the mounting chains
- Integrated fork carriage side shift to enable precise fork positioning
- Flashing beacon and work lights for driver safety and confidence
- Reverse beeper, road lights and interlocking seat belt for additional safety
- Differential Lock to get better grip when driving on rough terrain
- ROPS/FOPS (Rollover/Falling Object Protective Structure) to protect the driver

The ability for one side offloading also comes as standard on the MOFFETT Telemount. Our standard machine includes support rollers to enable you to lift up to 2500kg from the far side of the truck or trailer.

› But that's not all...

With Moffett, an impressive range of optional extras is available. Whatever the application, we will match it with a customised solution. The Telemount standard features can be enhanced with:

- Different tyre options
- Choice of forks
- Range of attachments

Our extensive service network, in more than 40 countries, offers you high levels of expertise, obtained through their long term link with Moffett and parent company Hiab. Our highly skilled service network team is used to solving just about any challenge. They understand your business and offer you the right advice regarding your load handling needs, be they resolved with a Truck-mounted Forklift or any other product in the Hiab range. Our centralised spares and parts service ensures delivery within 24 hours across Europe and only a few days longer for the rest of the world.

Our commitment to excellence goes beyond technical innovation. With our high quality production process and unparalleled sales and after-sales service, fast spare part deliveries, expert machine servicing and our global Moffett and Hiab dealer network, we all work together as a team to deliver confidence through our total customer care package.



In less than 1 minute, you are in complete control of the collection and delivery process. That's all the time it takes to mount and dismount your Moffett Truck-mounted Forklift



➤ **Telemount** – Features and Benefits

Ergonomics

- Adjustable Steering Column ensures optimal steering wheel positioning
- Ergonomically Positioned Controls Pedals
- Spacious Floor Area
- Easy-reach valve levers

Styling

- Streamline design
- Overhead Guard

Safety

- Maximum stability
- Remote pressure release when mounting
- Glass partition in the cabin to increase safety
- Low profile Boom to increase visibility

Maintenance

- Adjustable wear pads
- Exterior access to Hydraulic and Fuel tanks

Telemount

TM 55.3

1 LIFT CAPACITY	5500 lbs @ 24" LOAD CENTRE
2 ENGINE	KUBOTA DIESEL 37.3 KW (50 HP)
3 LIFT HEIGHT	3500 MM
4 STANDARD TYRES	280X60
5 DRIVE WHEELS	3 WHEEL
6 UNLADEN WEIGHT*	2700 KG
7 OVERHANG*	1350 MM (1650MM INCLUDING BOOM)
8 GROUND CLEARANCE	240 MM



4-way models also carry loads sideways, ideal when delivering long loads into tight access areas or through narrow doorways.

Moffett Telemount

Moffett Engineering Limited

Ardee Road
Dundalk
County Louth
Ireland

Moffett bv

Leijester Hegedyk 25
NL-9071 XB Oude Leije
Postbus 1
NL-9076 ZN St. Annaparochie
Netherlands

Tel: +353 (0)42 935 9500
Fax: +353 (0)42 935 9590
Email: moffett.forklift@hiab.com
Website: www.hiab.com

