

HIAB X-CLX 068






HIAB X-CLX 068 BASIC DATA

TECHNICAL DATA	X-CLX 068B-1	X-CLX 068B-2	X-CLX 068D-2	X-CLX 068D-4
Lifting capacity (kNm)	60	57	59	54
Lifting capacity (tm)	6.1	5.8	6.0	5.5
Outreach - lifting capacity, standard (m-kg)	2.3 - 2 640 3.8 - 1 620 5.4 - 1 140	2.7 - 2 200 3.8 - 1 520 5.4 - 1 060 7.2 - 780	2.5 - 2 360 3.9 - 1 540 5.4 - 1 080 7.2 - 800	3.1 - 1 780 4.1 - 1 380 5.6 - 940 7.4 - 660 9.4 - 490 11.3 - 400
Outreach - lifting capacity, manual extensions (m-kg)	7.2 - 800 9.1 - 600	9.1 - 580	9.3 - 580 11.3 - 370	-
Hydraulic outreach, standard (m)	5.3	7.3	7.3	11.3
Hydraulic boom extension (m)	1.7	3.5	3.5	7.6
Outreach, manual extensions (m)	9.3	9.3	11.3	-
Lifting height above installation level, hydr/man (m)	7.7 / 0.0	9.6 / 0.0	9.4 / 0.0	13.5 / 0.0
Rec. oil flow (l/min)	25 - 30	25 - 30	25 - 30	25 - 30
Working pressure (Mpa)	29	29	29	29
Oil in tank (l)	35 - 65	35 - 65	35 - 65	35 - 65
Tank capacity (l)	40 - 75	40 - 75	40 - 75	40 - 75
Slewing angle (°)	410	410	410	410
Max slope viable at full capacity (°)	5	5	5	5
Slewing torque, gross (kNm)	8.5	8.5	8.5	8.5
Slewing speed (°/s)	15	15	15	15
Lifting speed at standard hydraulic outreach (m/s)	1.0	1.4	1.3	2.1
Height in folded position (mm)	1 900	1 900	1 900	1 900
Width in folded position (mm)	2 075	2 160	2 015	2 170
Install space required with hose and pipe kit (mm)	655	655	655	655
Crane in standard version without stabiliser system (kg)	770	850	870	1 020
Frame attachments (kg)	28 - 30	28 - 30	28 - 30	28 - 30
Stabiliser system equipment (kg)	105 - 160	105 - 160	105 - 160	105 - 160

This table shows one example of a model, and represents some of all options available. With the opportunity to configure your crane, we can provide you with a crane perfectly tailored to your needs.

Please contact your local dealer for more information and the exact data on the variety of options we can offer.

Hiab X-CLX 068B-2





Atlas Polar
IT'S ALL ABOUT QUALITY™

Atlas Polar Company Ltd.
60 Northline Road
Toronto, ON M4B 3E5
Canada
1-888-799-4422
info@atlaspoler.com
www.atlaspoler.com