

HIAB X-CLX 128






HIAB X-CLX 128 BASIC DATA

BASIC DATA	X-CLX 128 B-1	X-CLX 128 B-2	X-CLX 128 B-3	X-CLX 128 E-4	X-CLX 128 E-5
Mdyn	152 kNm	155 kNm	158 kNm	160 kNm	162 kNm
Lifting capacity (kNm)	120	113	110	101	99
Lifting capacity (tm)	12,2	11,5	11,2	10,3	10,1
Lifting capacity (ADC) (kNm)	0	0	0	0	0
Lifting capacity (ADC) (tm)	0	0	0	0	0
Outreach - lifting capacity, standard (m-kg)	2,8 - 4 300	2,8 - 4 000	3 - 3 700	2,4 - 4 300	2,5 - 4 000
	4,3 - 2 800	4,4 - 2 600	4,5 - 2 500	4,7 - 2 200	4,8 - 2 100
	6,1 - 2 000	6,2 - 1 840	6,3 - 1 720	6,5 - 1 540	6,6 - 1 420
		8,2 - 1 400	8,3 - 1 280	8,4 - 1 120	8,5 - 1 020
			10,3 - 1 000	10,5 - 860 12,7 - 700	10,6 - 760
					12,8 - 600
					15 - 500
Outreach - lifting capacity, manual extensions (m-kg)	8,1 - 1 420	10,3 - 1 040	12,5 - 760	15 - 540	17,3 - 390
Hydraulic outreach, standard (m)	6,3	8,4	10,6	12,8	15,1
Hydraulic boom extension (m)	1,9 m	3,9 m	5,9 m	8,1 m	10,3 m
Outreach, manual extensions (m)	0	0	12,8	17,4	17,4
Lifting height above installation level, hydr/man (m)	8,7 / 15,2	10,8 / 15,2	13,0 / 15,2	15,2 / 19,8	17,5 / 19,8
Rec. oil flow (l/min)	45 - 50	45 - 50	45 - 50	45 - 50	45 - 50
Working pressure (Mpa)	28,1	28,1	28,1	28,1	28,1
Oil in tank (l)	70 - 200	70 - 200	70 - 200	70 - 200	70 - 200
Tank capacity (l)	0 - 235	0 - 235	0 - 235	0 - 235	0 - 235
Slewing angle (°)	415	415	415	415	415
Max slope viable at full capacity (°)	6	6	6	6	6
Slewing torque, gross (kNm)	16,4	16,4	16,4	16,4	16,4
Slewing speed 80 (°/s)	15	15	15	15	15
Slewing speed (°/s)	15	15	15	15	15
Lifting speed at standard hydraulic outreach (m/s)	1,1	1,4	1,7	2,1	2,5
Height in folded position (mm)	2 238	2 238	2 238	2 261	2 261
Width in folded position (mm)	2 374	2 440	2 498	2 479	2 505
Install space required with hose and pipe kit (mm)	1 030	1 020	1 018	1 012	1 024
Crane in standard version without stabiliser system (kg)	1 290	1 400	1 520	1 830	1 920
Frame attachments (kg)	32 - 65	32 - 65	32 - 65	32 - 65	32 - 65
Stabiliser system (kg)	244 - 385	244 - 385	244 - 385	244 - 385	244 - 385

This table show one example of a model, and represents some of all options available. With the opportunity to configure your crane, we can provide you with a crane perfectly tailored to your needs.

Please contact your local dealer for more information and the exact data on the variety of options we can offer.

Hiab X-CLX 128 B-2





Atlas Polar
IT'S ALL ABOUT QUALITY™

Atlas Polar Company Ltd.
60 Northline Road
Toronto, ON M4B 3E5
Canada
1-888-799-4422
info@atlaspolar.com
www.atlaspolar.com